


INDEX MAPS.

T. 4 N R. 3 W 2nd Mer.



T. 5 N R. 3 W 2nd Mer.

295-298	296-298	296-298	296-297	296-297	297
300 6 319 5 316 4 312 3 308 2 304 1 295	320 319 315 311 308 303	300 7 319 8 315 9 311 10 307 11 303 12 295	320 318 315 311 307 303	299 18 318 17 314 16 310 15 306 14 302 13 295	320 317 314 310 306 302
321 317 313 309 305 301	299 19 317 20 314 21 310 22 306 23 302 24 294	321 317 313 309 305 301	299 30 317 29 313 28 309 27 305 26 301 25 294	321 316 312 308 304 300 36 294	298 31 316 32 312 33 308 34 304 35 300 36 294
291-293 291-293 291-293 291-292 291-292 292	291-293 291-293 291-293 291-292 291-292 292	291-293 291-293 291-293 291-292 291-292 292	291-293 291-293 291-293 291-292 291-292 292	291-293 291-293 291-293 291-292 291-292 292	291-293 291-293 291-293 291-292 291-292 292

(P) The figures on the lines refer to the page.

Township No. 5 North of Range No. 3 West 9th Mer. (Lnd.)
ch. lby.

South Boundary

I 44

East On a Random line with South Boundary of sec. 31 T. R.
5 N.R. N. 377.

40.00 Set a temp. post for the cor. to 1/4 sec.

80.00 " " " " " " S. 31 R. 32.

Stands hilly and bushy timber oak, & Hickory

East On a Random line south South Boundary of sec. 32
T. R. 5 N.R. N. 377.

40.00 Set a temp. post for the cor. of 1/4 sec.

80. 00 " " " " " " S. 32 R. 33.

Stands same as last mile.

East On a Random line on the South Boundary of sec. 33.
T. R. 5 N.R. N. 377.

40.00 Set a temp. post for the cor. to 1/4 sec.

80.00 Set " " " " " " S. 33 R. 34

Stands hilly, timber oak, & Hickory

East On a Random line South South Boundary of sec. 34
T. R. 5 N.R. N. 377.

21.50 To a Brook 25 links mile, come South.

40.00 Set a temp. post at the corner of 1/4 sec.

55.00 To a Brook 10 links mile, come S. W.

80.00 Set a temp. post for the cor. to S. 34 R. 35.

Stands same as last mile.

East On a Random line South South Boundary of sec. 35
T. R. 5 N.R. N. 377.

40.00 Set a temp. post for the cor. to 1/4 sec.

80.00 " " " " " " S. 35 R. 36

Stands same as last mile.

J. N. 5 M.R. N. 3 W. 2nd Mer. Sec.

East On a Random line on the South Boundary of sec. 36
J. N. 5 M.R. N. 3 N.

- 8.69 To a Brook 10 miles west, Census South
40.00 Set a trap post for the cor. to $\frac{1}{4}$ sec.
70.08 To a Brook 15 miles west, Census South.
85.69 Intercept the N & S Range line south of the cor. to
Twp 5. 58 4. 4. R. 213 N.

Tando rolling Timew Poplar Oak & Hick.

West On the true line on the South Boundary of sec. 36.
J. N. 5 M.R. N. 3 N.

- 40.00 Set the trap post on the true line for the cor. to $\frac{1}{4}$ sec.
No hearings
80.00 Set the trap post on the true line for the cor. of sec. 35 &
36 from which a
Buck 20 in. ear. bears J. 57 E. 21 miles west; and a
Deer 8 " " . N. 23 E. 17 " "

West On the South Boundary of sec. 35. On the true line
J. N. 5 M.R. N. 3 N.

- 40.00 Set the trap post on the true line for the cor. of $\frac{1}{4}$ sec. from
which a W. Deer 20 in. ear. bears N. 31 N. 53 W. 10 miles
west a W. Deer 40 " . N. 7 N. 42. " .
80.00 Set the trap post on the true line for the cor. of sec. 34 &
35 from which a
Dogwood 10 in. dia. bears S. 19 N. 19 miles west; and a
Buck 8 " " . N. 85 N. 23 " "

West On the true line on the South Boundary of sec. 34. J. N.
5 M.R. N. 3 N.

- 40.00 Set the trap post on the true line for the cor. to $\frac{1}{4}$ sec.
from which a W. Deer 12 in. dia. bears S. 79 N. 19 miles
west an Ashwood 6 " . S. 45 E. 13 " .

C. N. 5 S. R. N. 3 W. 2nd Mer. Ind.

80.00 Set apart for the cor. of sec. 33 & 34 on the town line from which a Bough 5 in. dia. bears 88 E. 6 lbs each made w. Beech 10 " " 81177.15 "

West On the town line On the South Boundary of sec. 33 T. N. 5 R. N. 3 W.

40.00 Set the temporary post on the town line for the cor. to 70 sec. from which a Beech 7 in. dia. bears 187477. 18 lbs each made w. 110. 12 " " 8277. 31 "

80.00 Set the temporary post on the town line for the cor. of sec. 32 & 33 from which a Beech 9 in. dia. bears 8377. 32 lbs each made w. Elm 7 " " 83977. 24 "

West On the town line On the South Boundary of sec. 32 T. N. 5 R. N. 3 W.

40.00 Set the temporary post on the town line for the cor. of 74 sec. from which a B. Oak 12 in. dia. bears 81577. 30 lbs each made w. W. Oak 24 " " 8448. 36 "

80.00 Set the temporary post on the town line for the cor. of sec. 31 & 32 from which a B. Oak 8 in. dia. bears 1838. 18 lbs each made w. W. Oak 8 " " 86077. 25 "

West On the town line on the South Boundary of sec. 31 T. N. 5 R. N. 3 W.

40.00 Set the temporary post on the town line for the cor. to 74 sec. from which a B. Oak 20 in. dia. bears 176577. 40 lbs each made w. W. Oak 10 " " 88277. 18 "

85.69 To the cor. of S. 5. 5. & 4. 4 R. 38477.

T. N. 5 T.R. N. 3 M. 2nd Mer. Ind.

East Boundary.

a 4.

North	South East Boundary of sec. 36. T. N. 5 T.R. N. 3 M.
12.00	To a Beech 12 in. dia. in the line
40.00	Set a post for the cor. of 1/4 ac. from which a Beech 20 in. dia. bears S 67° 18' W links west; and so do 10. " " N 63° 12' "
65.00	To a Brook 100 links west, same s.
80.00	Set a post for the cor. of sec. 25 & 36 from which a Beech 6 in. dia. bears S 21° 17.6' links west; and so Sugar. 10 " " N 78° 19' " Same as last mile Poplar.

North	South East Boundary of sec. 25. T. N. 5 T.R. N. 3 M.
21.00	To a Gum 20 in. dia. in the line
40.00	Set a post for the cor. of 1/4 ac. from which a Beech 13 in. dia. bears S 21° 17.8' links west; and so do 10. " " N 79° 16' "
80.00	Set a post for the cor. of sec. 24 & 25 from which a Beech 10 in. dia. bears S 57° E. 9 links west; and so do 12. " " N 50° 7.21 " " Same as with last mile.

North	South East Boundary of sec. 24. T. N. 5 T.R. N. 3 M.
12.00	To a Beech 10 in. dia. stands in the line.
40.00	Set a post for the cor. of 1/4 ac. from which a W. Oak 13 in. dia. bears S 88° 17.15' links west; and so do 9 Beech 10. " " S 20° 7.33 " "
72.50	To a Beech 18 in. dia. in the line.
80.00	Set a post for the cor. of sec. 13 & 24 from which a Beech 12 in. dia. bears South 6 links east and so Walnut 10. " " N 68° 16' " Same as with last mile.

3.

295

S. N.^o 5 T.R. N.^o 3 W. 2nd Mer. Ind.

North	On the East Boundary of sec. 13. S. N. ^o 5 T.R. N. ^o 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a W. Oak 12 m. dist. bears S12 E. 20 links west; to Poplar 18 " " S81 ⁷ .14. "
57.07	To a W. Oak 12 m. dist. in the line.
80.00	Set a post for the cor. of sec. 12 & 13 from which a Poplar 12 m. dist. bears S14 E. 37 links west; and a Sugar 10 " " S16 E. 18 " " Same thin & Keilly Timber Oak, & Keilly.

North	On the East Boundary of sec. 12. S. N. ^o 5 T.R. N. ^o 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which an Amur oak 4 m. dist. bears S57 ⁷ .10 links west; to Llo. 4 " " S81 E. 10 " "
41.50	To a Brook 5 links west, come East
80.00	Set a post for the cor. of sec. 12 & 13 from which a W. Oak 12 m. dist. bears S48 ⁷ .7 links west; and a Llo. 10 " " S43 E. 21 " " Same east and timber same as last mile.

North	On the East Boundary sec. 1. S. N. ^o 5 T.R. N. ^o 3 W.
14.00	To a W. Oak 10 m. dist. in the line.
40.00	Set a post for the cor. of 1/4 sec. from which a W. Oak 20 m. dist. bears S22 E. 28 links west & a Buck 12 " " S81 ⁷ . 28 " "
80.00	Set a post for cor. of Town 5. 5 & G. W. ^o 2 & 3 W. from which a Sugar 12 m. dist. bears S26 ⁷ . 35 links west and a Barn 10 " " S88 E. 35 " " Same from as the last mile.

East	On a random line with South Boundary of sec. 31. S. N. ^o 6 T.R. N. ^o 3 W.
------	--

I. 7

I. N. 5 A. R. N. 3. W. 2nd. Mr. Isa.

- 21.77 To a Brook 10 miles wide, Course S.
 40.00 Set a trumpet post for the cor. of 1/4 sec.
 71.50 To a Brook 12 miles wide, Course S.W.
 80.00 Set a trumpet post for the cor. of sec. 31.132.
 Sandy hilly

- East** On a Random line on the South Bound'y of sec. 32.
 I. N. 6 A. R. N. 377.
 40.00 Set a trumpet post for the cor. to 1/4 sec.
 47.00 To a Brook 10 miles wide, Course S.W.
 80.00 Set a trumpet post for the cor. to sec. 32.133.
 Sandy hilly timber Oak & Hickory

- East** On a Random line on the South Bound'y of sec. 33.
 I. N. 6 A. R. N. 377.
 40.00 Set a trumpet post at the corner of 1/4 sec.
 79.50 To a Brook 12 miles wide, Course S.E.
 80.00 Set a trumpet post for the cor. of sec. 33.134.
 Sandy loam as last mile

- East** On a Random line (with South Bound'y) of sec. 34
 I. N. 6 A. R. N. 377.
 40.00 Set a trumpet post at the cor. of 1/4 sec.
 80.00 Set " " " " " " " " sec. 34.135.
 Sandy loam as last mile.

- East** On a Random line (with South Bound'y) of sec. 35
 I. N. 6 A. R. N. 377.
 35.50 To a Brook 10 miles wide, Course North.
 40.00 Set a trumpet post for the cor. to 1/4 sec.
 80.00 Set " " " " " " " " sec. 35.136
 Sandy loam as last mile.

P. N. 5 N. R. N. S. N. 2nd Mer. Ind.

East On a N. midline line on the South Boundary of sec. 36.
T. N. 6. R. R. N. 37T.

40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.

41.00 To a Natural Corner North.

81.78 To the Cor. of Towns 5. 5 + 6. 6. T. R. 913 T.

Land & Frame as last mile.

West Cut the tree line, on the South Boundary of sec. 36. T.
R. 6. T. R. N. 37T.

N. 7° 15'

40.00 Set the temporary post with the tree line for the cor. to $\frac{1}{4}$ sec.
from which on Hemlock 8 w. dist. bears 83° 9' N. 21
degrees west; and a Dogwood 8, " " S29° 19' 16" W. dist.

80.00 Set the temporary post on the tree line for the cor. of sec. 35 & 36.
from which a Poplar 7 w. dist. bears N60° E. 24 degrees
west; and a Sugar 10, " " S33° N. 28, " dist.

West Cut the tree line on the South Boundary of sec. 35. T. R.
6. T. R. N. 37T.

40.00 Set the temporary post on the tree line for the cor. of $\frac{1}{4}$ sec.
from which a W. Oak 13 w. dist. bears East 33 degrees
west; a Sycamore 8, " " —

80.00 Set the temporary post at the cor. of sec. 34 & 35 on tree line
from which a W. Oak 13 w. dist. bears N45° E. 17 degrees west
and a Hickory 8, " " West — .

West Cut the tree line on the South Boundary of sec. 34. T. R.
6. T. R. N. 37T.

40.00 Set a post temporary on the tree line for the cor. to $\frac{1}{4}$ sec.
from which a W. Oak 10 w. dist. bears S68° E. 14 degrees west,
and a Dogwood 6, " " N35° N. 18, "

80.00 Set a post for the cor. of sec. 33 & 34 Cut the tree line from
which a W. Oak - w. dist. bears S84° E. 26 degrees west; 1 w.
100, — , " " S16° N. 5, "

S. N.^o 5 N.R. N.^o 3 W. 2nd Mer. Ind.

- West On the trail line On the South Boundary of sec. 33.
S. N.^o 6 N.R. N.^o 3 N.
40.00 Set the traps post on the trail line for the cor. of 1/4 sec.
from which a Gum 12 in dia. bears S 67 E. 34 miles dist,
and w Dogwood 6, " " S 107 N. 5 " "
80.00 Set the traps post on the trail line for the cor. of sec. 32, 33.
from which a W. Oak - in dia. bears S 75 E. 31 miles dist; to
and w Dogwood 10, " " S 36 N. 6, "

- West On the trail line On the South Boundary of sec. 32. S. N.^o 6
N.R. N.^o 3 N.
40.00 Set the traps post on the trail line for the cor. of 1/4 sec.
from which a W. Oak 12 in dia. bears S 27 E. 15 miles dist,
and w Hickory 7, " " S 48 E. 11, "
80.00 Set the traps post on the trail line for the cor. of sec.
31 & 32. S. N.^o 6 N.R. N.^o 3 N. from which a
Gum 6 in dia. bears S 84 E. 5 miles dist; and w
W. Oak 10, " " S 30 N. 19, "

- West On the trail line On the South Boundary of sec. 31. S. N.^o
6 N.R. N.^o 3 N.
40.00 Set the traps post on the trail line for the cor. of 1/4 sec.
from which a W. Oak 12 in dia. bears S 75 E. 15 miles dist,
and w Hickory 12, " " S 80 E. 43, "
81.78 To the cor. of Secs. 5 & 6. S. N.R. N.^o 3 & 4 N.

West Boundary v. 6° 30' I

- North On the East Boundary of sec. No. 5 N.R. N.^o 4 N.
40.00 Set a post for the cor. of 1/4 sec. from which a
W. Oak 10 in dia. bears S 35 E. 11 miles dist, & w
Dog 12, " " S 30 N. 6, "
80.00 Set a post for the cor. of sec. 25 & 36. from which a
P. Oak, 24 in. dia. bears S 15 E. 34 miles dist, & w

I. N. 5 M. N. No 3 N. 2nd Mer. Ind.

Maple 10 in diam. trees \$87 E. 24 miles west; and a
Sugar Billy; Twin Oak, & Kentucky Berry bushes; thin
Soil &c.

- North On the East Boundary of sec. 25. I. N. 5 M. N. N. 4 N.
40.00 Set a post for the cor. of 1/4 ac. from which a
B. Oak 8 in diam. trees \$20 N. 20 miles west; & a
Do. 21, " " \$33 E. 19 " "
63.50 To a Brook 10 miles wide, comes N.
80.00 Set a post for the cor. of sec. 24 & 25 from which a
W. Oak 12 in diam. trees \$59 N. 7 miles west; and a
Do. 12, " " \$61 E. 30, " "
Sand soil and timber some as last mile.

- North On the East Boundary of sec. 24 I. N. 5 M. N. N. 4 N.
38.75 To a Brook 12 miles wide, comes N.
40.00 Set a post for the cor. of 1/4 ac. from which a
Sugar 10 in diam. trees \$31 E. 36 miles west; & a
Do. 9, " " \$59 N. 20, " "
80.00 Set a post for the cor. of sec. 13 & 24 from which a
Gum 18 in. diam. trees \$63 N. 41 miles west; and a
W. Oak 21, " " \$16 E. 30, " "
Sand soil and timber some as last mile.

- North On the East Boundary of sec. 13. I. N. 5 M. N. N. 4 N.
40.00 Set a post for the cor. of 1/4 ac. from which a
Poplar 36 in. diam. trees \$9 E. 31 miles west; and a
Gum 8, " " \$5 E. 13, " "
80.00 Set a post for the cor. of sec. 12 & 13 from which a
W. Oak 10 in. diam. trees \$32 E. 5 miles west; and a
Do. 12, " " \$14 E. 26, " "
Sand soil and timber some as last mile.

P. N° 5 A.R. N° 377. 2nd Mer. Ind.

- North Cut East Boundary of sec. 13. I N° 5 A.R. N° 477.
- 2.00 To a Brook 18 miles west, Comes S.W.
- 6.10 To a Creek 10 miles west on the line
- 40.00 Set apart for the cor. of 1/4 sec. from which a
B. Oak 30 in. dia. bears 84 N. 29 miles east; & a
Poplar 20" " " 126 N. 10" "
- 75.40 To a B. Oak, 12 m. dia. on the line.
- 80.00 Set apart for the cor. of sec. 1. & 1/2 from which a
Dogwood 7 in. dia. bears 88 N. 50 miles east; & a
Poplar 7" " " 122 N. 26" .
Sandy soil made timber from last stand.

- North Cut East Boundary of sec. 1. I N° 5 A.R. 477.
- 31.00 To a Brook 20 miles west, Comes S.N.
- 40.00 Set apart for the cor. of 1/4 sec. from which a
Maple, 10 in. dia. bears N 43 E. 5 miles east; & a
D.o. 6" " " 84 E. 7" .
- 57.00 To a Brook 12 miles west, Comes S.E.
- 80.00 Set apart for the cor. of P. N° 5, 5. & C. C. A.R. N.
377 N from which a
B. Oak 20 in. dia. bears East 14 miles east; & a
W. Oak 18" " " 86 N. 10" .
Sandy hilly made timber Oak, & Hickory.

Subdivisions

- North Return Sec 35 & 36 I N° 5 A.R. N° 377.
- 8.50 To a Brook 10 miles west, Comes S.E.
- 40.00 Set apart for the cor. of 1/4 sec. from which a
W. Oak, 10 in. dia. bears East 5 miles east;
- 42.00 To a W. Oak 18 in. dia. stands on the line
- 80.00 Set apart for the cor. of sec. 25, 26, 35 & 36 from which a
Sycamore 10 in. dia. bears N 23 E. 15 miles east; & a
Poplar 24" " " 834 E. 3" .

F N° 5 M.R. N° 377. 2^m.^o Mar. (See d.)

Lands rolling; Limin Oak, Honey & Poplar.

East On a Random line between Sec. 25 & 36. S. N° 5 M.R. 377.
40.00 Set a temp. post on the Random line for $\frac{1}{4}$ sec. on.
80.01 Intercept the N. & S. line 12 links North of the post cor. of
Sec. 25 & 36. Land same as on the last mile.

West On the true line between Sec. 25 & 36. S. N° 5 M.R. 377.
40.00 Set the temp. post at the cor. dist. on the true line
from the cor. to $\frac{1}{4}$ sec. from which a
Beech. 10 in. dia. bears East 13 links dist; to a
Willow - " " A8977.38 " "
80.00 To the post cor. of sec. 25, 26. 35, 136

North Between Sec. 25 & 26. S. N° 5 M.R. N° 377.
8.70 To a sugar 12 in. dia. stands within.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beech 12 in. dia. bears N33E. 14 links dist; to a
Sugar 8 " " N6777.25 " "
80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which
a Mulberry 10 in. dia. bears N23E. 29 links dist; to a
Beech. 12. " " N3077.5 " "
Land same as last mile.

East On a Random line between Sec. 24 & 25. S. N° 5 M.R. 377.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. ~~post~~ on Random
79.90 Intercept the N. & S. line 8 links South of the post cor.
of Sec. 24 & 25
Land same as last mile.

West On the true line between Sec. 24 & 25. S. N° 5 M.R. 377.
39.95 Set the temp. post at the cor. dist. on the true line
for the cor. to $\frac{1}{4}$ sec. from which a

I. N. 5 N.R. N. 3 T. 2nd Mer. Ind.;

79.90 Between 8 mi. and bears S22W. 29 mks dist; and so
Do. 10. " " S88W. 59. "
79.90 To the post cor. of sec. 23, 24, 25 & 26.

North Between Sec. 23 & 24. I. N. 5 N.R. N. 3 T.
5.00 To a Brook 10 miles wide, Coarse Wash.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec from which a
Beech 10 in. dia. bears S43W. 14 mks dist; and so
Do. 10 " " A88E. 5 " "
57.50 To a Spring; Coarse S.E. comes out of cliff of Rock.
80.00 Set a post for the cor. of sec. 13, 14, 23 & 24 from which
a Poplar 12 in. dia. bears A47W. 19 mks dist; to
W. Oak. 15. " " A81E. 24 " "
Same soil and timber same as last mile.

East On a Random line between Sec. 13 & 24. I. N. 5 N.R.
N. 3 T. 2nd Mer.
40.00 Set a timber post for the cor. of $\frac{1}{4}$ sec.
80.10 Set out the H.S. Range line 8 links North
of the post. cor. of sec. 13 & 24.
Same soil and timber same as last mile.

West On the tree line between Sec. 13 & 24. I. N. 5 N.
N. 3 T.
40.00 Set the timber post at the ave. dist on the tree line
for the cor. to $\frac{1}{4}$ sec. from which an
Am. wood 7 in. dia. bears A88E. 16 mks dist,
a Beech 8 " " A69W. 22 " "
80.10 To the cor. of sec. 13, 14, 23 & 24.

North Between Sec. 13 & 14. I. N. 5 N.R. N. 3 T.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
W. Oak 13 in. dia. bears A34W. 04 mks dist.

I. No. 5 M.R. N° 377 2nd Mar. Ind.

W. Oak 20 m dist. bears S $\frac{1}{2}$ E. 5 miles west.
 48.00 To a Hickory 10 m dist. bears in the line.
 80.00 Set a post for the cor. of sec. 11, 12, 13 & 14 from which
 a Poplar. 30 m. dist. bears N $\frac{1}{4}$ W. 13 miles west; to
 B. Oak. 18 " " N $\frac{1}{4}$ E. 8 " "
 Lands Linn and timber same as last mile.

East On a Random line between Sec. 12 & 13. I. No. 5 M.R. 377.
 40.00 Set a temporary post for the cor. of 1/4 sec.
 80.00 Intercept the N $\frac{1}{4}$ S line 19 miles South of the post cor.
 of sec. 12 & 13. Lands rolling, timber Oak, Hickory
 and Poplar.

West On the same line between Sec. 12 & 13. I. No. 5 M.R. 377.
 40.00 Set the temporary post at the arr. dist. on the same line
 in the cor. of 1/4 sec. from which a
 Sugar 10 m. dist. bears N $\frac{1}{2}$ E. 10 miles west; to a
 Buck 10 " " N $\frac{1}{4}$ W. 25 " "
 80.00 Set the post cor. of sec. 11, 12, 13 & 14

North Between Sec. 11 & 12. I. No. 5 M.R. 377. (cont'd)
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Buck 10 m. dist. bears N $\frac{1}{2}$ W. 4 miles west; to a
 Logwood 6 " " N $\frac{1}{2}$ E. 30 " "
 74.00 To a Brook 10 miles west, bears N.E.
 80.00 Set a post for the cor. of sec. 1, 2, 11 & 12 from which a
 W. Walnut 12 m. dist. bears N $\frac{1}{2}$ E. 13 miles west; to a
 Buck. 6 " " N $\frac{1}{4}$ W. 10 " "
 Lands same as last mile.

East On a Random line between Sec. 1, 2, 12. I. No. 5 M.R. 377.
 9.50 To a Brook 10 miles west, bears N.E.
 36.00 " same D. 10 " " I.E.

I. N. 5 R. R. N. 3 Y. 2nd Mar. (Ind.)

- 40.00 Set a temp. post for the cor. of $\frac{1}{4}$ ac. & cu.
 80.00 Cut to set the N & S line 12 links South of the post
 cor. of sec. 1 & 19. Land same as last mile.

- West. On the true line between Sec. 18 & 19 I. N. 5 R. R. N. 3 Y.
 40.00 Set the temp. post at the avar. dist. in the true line
 for the cor. to $\frac{1}{4}$ ac. from which a
 sum 20 in. dist. bears S 51 W. 10 links due S; do
 Buck 10 " " " N 56 W. 13 " "
 80.00 To the post cor. of sec. 1. 2. 11 & 10

- North Between Sec. 12 & 13 I. N. 5 R. R. N. 3 Y.
 33.50 To a Brook 10 links wide, comes S. E.
 40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
 Hick. 10 in. dist. bears N 59 W. 12 links dist. to
 Lg. 10 " " " N 23 E. 24 " "
 80.75 Set a post on the N. Boundary 15 links East of
 the post cor. of sec. 35. 13 & 14. I. N. 6 R. R. N. 3 Y. from
 which an Elmwood 6 in. dist. bears S 55 W. 10 links dist.
 and a Sugar 10 " " " S 47 W. 22 " "
 Land slab ends timber same as last mile.

- North Between Sec. 34 & 35 I. N. 5 R. R. N. 3 Y.
 31.90 To a Ft. Oak, 20 in. dist. Stands in the line.
 40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
 Buck 8 in. dist. bears S 5 E. 19 links due S; to
 Sugar 10 " " " S 70 E. 3 " "
 70.50 To a Brook 30 links wide, comes S. W.
 80.00 Set a post for the cor. of sec. 26, 27. 34 & 35 from which
 a Buck. 8 in. dist. bears S 8 W. 14 links due S; to
 Ft. Oak, 20 " " " N 46 E. 17 " "
 Land hilly; timber Oak, Hick. 10

P. N. 5 T. R. N. 3 W. 2nd Mer. Ind.

East	On a random line between Sec. 26 & 35 T. N. 5 R. 3 rd
2.00	To a Brook 30 miles wide, corner S.
4.00	Set a tempt spot cor. of 1/4 sec.
8.00	Intersect the N. & S. line 18 miles South of the first cor. of sec. 25, 26. 35 & 36.
	Sands same as last mile.
West	On the true line between Sec. 26 & 35 T. N. 5 R. 3 rd
4.00	Set the tempt spot at the corr. dist. on the true line from the cor. of 1/4 sec. from which
	Bush 211 in. deer bear 484 E. 22 miles west; 100 Ld. 12 " " 415 W. 19 " "
8.00	To the first cor. of sec. 26, 27, 34 & 35
North	Between Sec. 26 & 27 T. N. 5 R. 3 rd
5.00	To a Brook 40 miles wide, corner R. 3rd S.E.
9.00	" " " 12 " " " Neek
4.00	Set a spot for the cor. of 1/4 sec. from which a Sugar 10 in deer bear 826 W. 22 miles west; 100 Bush. 10 " " 82 E. 21 "
8.00	Set a spot for the cor. of sec. 26, 27, 22 & 23. From which a Hick. 12 in. deer bear 829 E. 15 miles west; 100 Ld. 12 " " 876 E. 24 " "
	Sands same as last mile.
East	On a random line between Sec. 23 & 26 T. N. 5 R. 3 rd
4.00	Set a tempt spot for the cor. of 1/4 sec.
5.00	To a Brook 10 miles wide, corner S.W.
8.00	Intersect the N. & S. line 10 miles North of the first cor. of sec. 23, 24, 25 & 26
	Sands same as last mile
West	On the true line between Sec. 23 & 26 T. N. 5 R. 3 rd

P. R. 5 M. M. R. N. 3 T. 2nd Mar. Ind.

- 40.00 Set the temp. post at the cor. with. on the tree line fr
th cor. to 1/4 sec. from which a
Hickory 10 in. dia. bears \$8577.49 bark db; &
Buck 10 " " " 1977.11 " "
80.00 To the first cor. of sec. 22, 23, 26, & 27.
-

North Between Sec. 22 & 23. I. N. 5 M. R. N. 3 T.

- 40.00 Set a post for the cor. of 1/4 sec. from which a
Sugar 10 in. dia. bears \$2177.20 bark db; &
B. Oak 20, " " \$5 E. 15 " "

52.50 To a Brook 10 miles wide, Coonaw. I. T.

- 80.00 Set a post for the cor. of sec. 14, 15, 22 & 23. From which
Snowwood 7 in. dia. bears \$47 E. 36 bark db; &
D. 7, " " \$53 E. 17 " "
Same same as last mile; the last named post stands
in a Brook. 12 miles wide, Coonaw. I. T.
-

East On a random line between Sec. 14 & 23. I. N. 5 M. R. 3 T.

- 40.00 Set a temp. post for the cor. of 1/4 sec.

79.85 Interset the N. & S. line 13 miles south of the first
cor. of sec. 13, 14, 23 & 24
Same same as last mile.

West On the tree line between Sec. 14 & 23. I. N. 5 M. R. N. 3 T.

- 39.92^{1/2} Set the temp. post in the tree line at the woor. dist
fr the cor. of 1/4 sec. from which a
Dogwood 6 in. dia. bears \$73 E. 45 bark db; &
D. 8 " " \$46 T. 45 " "

79.85 To the first cor. of sec. 14, 15, 22, & 23.

North Between Sec. 14 & 15. I. N. 5 M. R. N. 3 T.

- 2.00 To a Brook 10 miles wide, Coonaw. I. T.

7.00 " " P. D. 10, " " I. T.

307

(S. N. 5 N. R. N. 3. W. and one land.)

- 10.00 To the last named Brook 10 miles n.w. corner S.E.
 20.00 " " " " Do 10 " " " J.N.
 21.50 " " " " Do 10 " " " S.E.
 30.00 " " " " Do 10 " " " J.N.
 40.00 Set apart for the cor. of 1/4 ac. from which a
 Sugar 13 in dia. tree stands South 50 yards west; and a
 Buck 10 " " " S. 34 E. 14 "
 80.00 To a logwood 9 in. dia. which stands for the cor. of
 cor. 10.11.14 & 15
 Same as last mile.

- East On a random line between Sec. 11 & 14. S. N. 5 N. R. N. 3. N.
 21.25 To a Brook 13 miles n.e., corner South.
 40.00 Set a temporary post for the cor. of 1/4 ac.
 79.80 Set another post the N.W. line 18 miles south of the post.
 Cor. of sec. 11.12.13 & 14
 Same as last mile.

- West On the true line between Sec. 11 & 14 S. N. 5 N. R. N. 3. N.
 39.90 Set the temporary post at the cor. dist. with true line to
 the cor. to 1/4 ac. from which a
 Sugar. 9 in dia. tree S. 41 W. 27 yards west; to
 Buck. 20 " " " N. 60 E. 23. " "
 79.80 To the post cor. of sec. 10.11.14 & 15.

- North Between Ls. 10 & 11. S. N. 5 N. R. N. 3. N.
 9.10 To a Poplar, 20 in dia. in the line
 40.00 Set a post for the cor. of 1/4 ac. from which a
 Sugar. 10 in. dia. tree S. 21 E. 44 yards east; to
 Buck 7. " " " N. 15 E. 33 " "
 66.50 To a M. Oak 20 in dia. stands in the line
 80.00 Set a post in the cor. of sec. 2.3, 10 & 11 from which a
 Sugar 10 in dia. tree S. 20 W. 15 yards west; to

V. N. 5 N.R. R. 3 N. 2nd Mer. (Ind.)

From wood 8 mi. due bears N 74° E. 9 miles due S;
find same as last mile.

- East On a new line between Sec. 2 & 11 T. N. 5 N.R. N. 3 N.
40.00 Set a trap post at the cor. of 1/4 sec.
79.60 Set east the N 13° line 12 miles south of the post cor.
Sec. 1, 2, 11 & 12
Find same as last mile.

- West On the true line between Sec. 2 & 11 T. N. 5 N.R. N. 3 N.
39.80 Set the trap post at the cor. due on the true line for
the cor. of 1/4 sec. from which a
Poplar 8 in. dia. bears N 60° E. 15 miles due S; do,
Do 10" " " 83° E. 20" "
79.60 To the pattern of sec. 2, 3, 10 & 11.

- North Between Sec. 2 & 3 T. N. 5 N.R. N. 3 N.
8.00 To a Brook 8 miles and comes S. N.
29.95 " " W. Oak 9 in. dia. stands on the line
40.00 Set a post for the cor. of 1/4 sec. from which a
Dogwood 6 in. dia. bears S 15° N. 17 miles due S to
Do 6" " " N 11° E. 9" "
81.29 Set a post on the N Boundary 25 miles East of the post
cor. post 34135 T. N. 6 N.R. N. 3 N. from which a
W. Oak 12 in. dia. bears N 47° N. 18 miles due S; do
Do 12" " " N 55° E. 14" "
Find same as last mile.

- North Between Sec. 33 & 34 T. N. 5 N.R. N. 3 N.
40.00 Set a post for the cor. of 1/4 sec. from which a
Hickory 12 in. dia. bears S 18° N. 58 miles due S
81.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which
a Hickory 10 in. dia. bears N 12° N. 30 miles due S; do

P. N. 5 T. R. N. 3 T. 2nd (Mar. 1st A.D.)

B. Oak. 10 m. due: bear S 88° N. 26° Wards west;
Lands. hilly. Juniper Oak, Hickory and Poplar &c.

East On a Random line between Sec. 27 & 34 T. N. 5 T. R. N. 3 T.
40.00 Set a trumpet post on the cor. of 1/4 sec.
80.00 Intersect the AdS line 18 miles North of the post on or off
Sec. 26, 27, 34 & 35
Same as last mile.

West On the true line between Sec. 27 & 34 T. N. 5 T. R. N. 3 T.
40.00 Set the trumpet post at the ave. dist. on the true line
on the cor. of 1/4 sec. from which a
B. Oak. 13 m. due: bears N 34 E. 24° Wards east; &c
Bush 9, " " S 58° N. 34° " "
80.00 To the post on or off Sec. 27, 28, 33 & 34.

North Between Sec. 27 & 28 T. N. 5 T. R. N. 3 T.
40.00 Set a post on the cor. of 1/4 sec. from which a
Hogmoss of w. due: bears N 11 E. 41° Wards east; &c
W. Oak. 10, " " S 69 E. 20, " "
80.00 Set a post on the cor. of sec. 21, 22, 27 & 28 from which
W. Oak. 12 m. due: bears N 70 E. 9° Wards east; &c
Dg. 12, " " S 54 E. 8, " "
Same as last mile.

East On a Random line between Sec. 22, 23, 26 & 27 T. N. 5 T. R. N. 3 T.
31.90 To a spring Brook 5 miles west, corner S.
40.00 Set a trumpet post on the cor. of 1/4 sec.
68.00 Intersect the AdS line 8 miles North of the post on
or off Sec. 22, 23, 26 & 27.
Same as last mile.

S. N. 5 T. R. N. 3 W. Grade (cont'd.)

- West On the tree line between Sec. 22, & 27, I. N. 5 T. R. N. 3 W.
 40.00 Set the temp. post at the ave. dist. on the tree line, from
 the cor. to $\frac{1}{4}$ sec. from which,
 Dogwood 6 in. dia. bears N 51 E. 17 ft. to dash; 0°
 W. Oak 8 " " 088 E. 21 " "
 80.00 To the post cor. of lat. 21, 22, 27, 028,
-

- North Between Sec. 21, & 22, I. N. 5 T. R. N. 3 W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which,
 Poplar 8 in. dia. bears N 2 E. 50 ft. back dash; 0°
 W. Oak 9 " " 820 N. 29 " "
 69.00 To a Brook 20 miles aside, bearing S. E.
 80.00 Set a post for the cor. of lat. 15, 16, 21, 022 from which,
 Sugar 10 in. dia. bears N 17 N. 30 miles dash; 0°
 W. 0. 10 " " 87 E. 21 " "
 Same as from last mile.
-

- East On a random line between Sec. 15, & 20, I. N. 5 T. R. N. 3 W.
 40.00 Set a temp. post on the cor. of $\frac{1}{4}$ sec.
 80.00 Intersect the N & S line 8 miles South of the post cor.
 of lat. 14, 15, 22, 023.
 Same as from last mile.
-

- West On the tree line between Sec. 15 & 22, I. N. 5 T. R. N. 3 W.
 40.00 Set the temp. post at the ave. dist. on the tree line
 to the cor. of $\frac{1}{4}$ sec. from which,
 W. Oak 20 in. dia. bears N 5 E. 11 ft. to dash; 0° to
 W. Oak 8 " " 552 N. 16 " "
 80.00 To the post cor. of lat. 15, 16, 21, 022.
-

- North Between Sec. 15 & 16, I. N. 5 T. R. N. 3 W.
 18.00 To a Brook 20 miles aside, bearing S. E.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which

P.R. 5 T.R. N. 3 T.T. 2nd Mer. (End.)

- Down 8 in. dia. bears N 17 E. 7 miles due; and a
Dogwood 7. " " S 25 W. 16 " "
51.00 To a N. Oak 20 in dia. on the line.
80.00 Set a post for the cor. of sec. 9. 10. 15 & 16 from which a
Cherry 12 in. dia. bears N 32 W. 43 miles due; and a
Sugar. 10 " " S 60 E. 17 " "
Same same as last mile.

- East On a Random line between Sec. 10. 11. 15 & 17 R.R. N. 3 T.T.
6.00 To a Brook 12 miles wide, Comma South.
40.00 Set a timber post for the cor. of 1/4 sec.
79.90 Between the R.R. line 10 miles North of the post cor. of
sec. 10. 11. 14. & 15.
Same same as last mile.

- West On the true line between Sec. 10 & 15 & R.R. N. 3 T.T.
39.95 Set the timber post at the cor. dia. on the true line fro.
the cor. of 1/4 sec. from which a
Dogwood 6 in dia. bears S 89 W. 35 miles due; &
Oak 8 " " M 13 N. 7 " "
79.90 To the post cor. of sec. 9. 10. 15 & 16.

- North Between Sec. 9 & 10 & R.R. N. 3 T.T.
40.00 Set a post for the cor. of 1/4 sec. from which a
Hick. 7.5 in dia. bears N 17 W. 74 miles due; and a
Snowwood 5. " " N 45 E. 12 " "
76.50 To a Brook 18 miles wide, Comma S.E.
80.00 Set a post for the cor. of sec. 3. 4. 9 & 10 from which a
W. Oak. 18 in. dia. bears S 87 W. 14 miles due; &
Oak 10 " " N 42 E. 23 " "
Same rock; Limbs Poplar, Ash &c

- East On a Random line between Sec. 3 & 10 & R.R. N. 3 T.T.

T. N. 5 T.R. R. 3 M. 2nd Mer (Ind.)

- 17.00 To a Brook 20 miles east, corner S.
 40.00 Set a trumpet post at the cor. of $\frac{1}{4}$ ac.
 80.10 Into cut the N.E. line 10 miles South of the post cor.
 of sec. 2. 31041.
 Land & cut and timber same as last mile.

- West On the tree line between Sec. 3 & 10. T. N. 5 T.R. R. 3 M.
 40.00 Set a trumpet post at the com. dist. on the tree line and for
 the cor. of $\frac{1}{4}$ ac. from which a
 sum 8 in. dia. bears S 70° E. 4 miles west; and a
 80.10 To the post cor. of sec. 3 & 4. 9240.

- North Between Sec. 3 & 4 T. N. 5 T.R. R. 3 M.
 40.00 Set a post further cor. of $\frac{1}{4}$ ac. from which a
 sum 10 in. dia. bears S 45° E. 17 miles west; and a
 Poplar 8, " " S 70° N. 8, " "
 47.00 To a Poplar 20 in. dia. in the line.
 82.50 Into cut the N. Boundary of the post cor. of sec.
 33034 T. N. 6. T.R. R. 3 M.
 Land & cut; Limb Oak, & Hickory.

- North Between Sec. 32 & 33 T. N. 5 T.R. R. 3 M.
 40.00 Set a post further cor. of $\frac{1}{4}$ ac. from which a
 Persimmon 10 in. dia. bears S 36° E. 32 miles west; and a
 Beech. 10, " " N 62° N. 27, " "
 80.00 Set a post further cor. of Sec. 28, 29, 32 & 33. From which a
 sugar 10 in. dia. bears N 65° N. 27 miles west; and a
 Red. 9, " " Oak 5, " "
 Land & cut; Limb Oak, & Hickory.

- East On a random line between Sec. 28 & 33. T. N. 5 T.R. R. 3 M.
 40.00 Set a trumpet post further cor. of $\frac{1}{4}$ ac.
 52.25 To a Brook 12 miles east, corner S.

P. N. 5 M.R. N. 3 N. 2nd Mon (Ind.)

8008 Cut out the N. 88 line 32 miles South of the cor. to cor.
27, 28, 33 & 34. Same same select miles.

West On the two line between Sec. 28, 29, 30, 31 N. 5 M.R. 3 N.
16.04 Set the temp. post at the cor. dist. with the two line
to the cor. of 1/4 sec. from which a
Bush 10 m. dist. bears S 65° E. 17 links dist; and a
Sugar 10, " " N 33° E. 7, " "
8008 To the post cor. of sec. 28, 29, 32 & 33.

North Between Sec 28, 29, 30, 31 N. 5 M.R. 3 N.

21.70 To a W. Oak 24 m. dist. in the line.
40.00 Set a post of the cor. of 1/4 sec. from which a
W. Oak. 20 m. dist. bears N 49° E. 8 links dist; and a
H. 10, " " S 11° E. 36, " "
46.00 To a Brook. 10 miles mid, Lemoine E.
80.00 Set a post in the cor. of sec. 20, 21, 28 & 29 from which a
W. Oak. 20 m. dist. bears S 15° E. 9 links dist; and a
Q. Oak. 7, " " N 80° E. 17, " "
Same same select miles.

East On a random line between Sec. 21 & 28 J. N. 5 M.R. 3 N.

16.50 To a Brook 8 miles mid, Lemoine I.L.
40.00 Set a temp. post. In the cor. of 1/4 sec.
80.00 Cut out the N. 88 line 16 miles South of the post cor.
21, 22, 27, 28. Same post made timber same.

West On the two line between Sec. 21 & 28 J. N. 5 M.R. 3 N.

16.00 Set the temp. post at the cor. dist. with the two line
to the cor. of 1/4 sec. from which a
W. Oak. 12 m. dist. bears S 71° E. 11 links dist; and a
Hick 7 1/2, " " S 66° E. 26, " "
80.00 To the post cor. of sec. 20, 21, 28 & 29.

C. N. 5 T. R. N. 3 T. 2nd Mer. Ind.

North Between Ls. 20. & 21. S. N. 5 T. R. N. 3 T.
 15.25 To a Brook 10 miles west, leaves East
 40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
 Dogwood 6 in. dia. bears \$977.27 10 miles due S.
 Persimmon 6 in. " " \$838.19, "
 80.00 Set a post further on of Ls. 16 & 17. 20 & 21 from which a
 W. Oak. 10 in. dia. bears \$1818.20 10 miles due S.
 Maple. 9 in. " " \$2777.23, "
 Same same as last mile.

East On a random line between Ls. 16 & 21 S. N. 5 T. R. N. 3 T.
 40.00 Set a post for the cor. of $\frac{1}{4}$ ac. (trumpet)
 61.00 To a Brook. 8 miles west, leaves E.
 75.00 " " 20 " " S.
 80.00 Intersect the N & S line 10 miles South of the post on
 Ls. 15. 16. 21 & 22. Same same as last mile.

West On the true line between Ls. 16 & 21 S. N. 5 T. R. N. 3 T.
 40.00 Set the trumpet post on the true line at the cor. West of
 the cor. to $\frac{1}{4}$ ac. from which a
 Gum 10 in. dia. bears \$608.12 10 miles due S.
 Poplar 20 in. " " \$7177.10, "
 80.00 To the post cor. of Ls. 16. 17. 21. & 21.

North Between Ls. 16 & 17. S. N. 5 T. R. N. 3 T.
 40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
 W. Oak. 20 in. dia. bears \$12836.36 10 miles due S.
 Ld. 20 " " \$13877.27, "
 56.90 To a W. Oak. 19 in. dia. stands on the line.
 80.00 Set a post for the cor. of Ls. 8. 9. 16 & 17 from which a
 W. Oak. 20 in. dia. bears \$3177.13 10 miles due S.
 Ld. 8 " " \$1238.11, "
 Same same as last mile.

S. N. 5 M.R. N. 3 W. 2nd Mer. Ind.

East On a random line between Sec. 9. & 16. I. N. 5 M.R. N. 3 W.
 40.00 Set a trapst post at the cor. of $\frac{1}{4}$ sec.
 47.00 To a Brook 8 miles west, corner S.E.
 49.00 To a Spring Brook 6 miles west, corner S.
 80.00 Introduce the N. & S. line 20 miles of the post cor. of sec.
 9.10.15. & 16. Sand soil and timber same as last mile.

West On the true line between Sec. 9. & 16. I. N. 5 M.R. N. 3 W.
 40.00 Set the trapst post at the avn. dist. on the true line
 further cor. of $\frac{1}{4}$ sec. from which a
 #3 Oak, 24 in. dist. bears N75E. 18 miles dist; and a
 Pine 10 " " N34W. 28 " "
 80.00 To the post cor. of Sec. 8. 9. 16. & 17.

North Between Sec. 8 & 9. I. N. 5 M.R. N. 3 W.
 40.00 Set a post fur the cor. of $\frac{1}{4}$ sec. from which a
 W. Oak, 10 in. dist. bears S31E. 40 miles dist; and a
 Llo. 18 " " Nest 19. "
 80.00 Set a post fur the cor. of sec. 4. 5. 8. & 9 from which a
 W. Oak, 10 in. dist. bears N18E. 27 miles dist; and a
 Llo. 12, " " N14W. 14 " "
 Same as last mile.

East On a random line between Sec. 9 & 16. I. N. 5 M.R. N. 3 W.
 40.00 Set a trapst post fur the cor. of $\frac{1}{4}$ sec.
 75.00 To a Brook, 10 miles west, corner S.W.
 80.00 Introduce the N. & S. line 10 miles south of the post cor. of
 Sec. 3 & 4. 9 & 10
 Sand soil and timber same as last mile.

West On the true line between Sec. 4 & 9. I. N. 5 M.R. N. 3 W.
 40.00 Set the trapst post at the avn. dist. on the true line for
 the cor. to $\frac{1}{4}$ sec. from which a

J. N. 5 N.R. N. 3 W. 2nd Mer. (Sec. 2)

June 8 in dist. bears S86 E. 29 links dist; and a
Dogwood C., " " S57 E. 20 " "
80.00 Set a post for the cor. of sec. 4, 5, 8 & 9.

North Between Lot 425. J. N. 5 N.R. N. 3 W.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
W. Oak. 13 in dist. bears S. 76 E. 30 links dist; to
Ld. 12, " " N46 E. 31 " "
82.21 Enter at the N Boundary of the post cor. of sec.
32, 33. J. N. 6 N.R. N. 3 W.
Lands flat and timber some about mid.

North Between Lot 31, 32 J. N. 5 N.R. N. 3 W.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
W. Oak 20 in dist. bears S20 E. 30 links dist.
81.00 Set a post for the cor. of sec. 29, 30, 31, 32 from which a
Gum. 12 in dist. bears N. 26 E. 32 links dist; to
Dogwood C., " " N22 W. 5 " "
Lands very hilly; Soil very thin & brushy

East On a random line between Lot 29, 30, 32 J. N. 5 N.R. N. 3 W.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. (at temp.)
64.00 To a Brook. 12 links wide, corner S.
79.80 Enter at the N.E. line 8 links south of the post cor. of
sec. 28, 29, 32, 33. Lands same as last mid.

West On the true line between Lot 29, 32 J. N. 5 N.R. N. 3 W.
39.90 Set the temp. of post at the over side on the true line for
the cor. to $\frac{1}{4}$ sec. from which a
W. Oak. 18 in dist. bears S13 E. 26 links dist; to
Ld. 12, " " S82 W. 40, " "
79.80 To the post cor. of sec. 29, 30, 31, 32. J. N. 5 N.R. N. 3 W.

J. N° 5 MR. N° 3 YH. 2nd Mar. India

North	Between Sub. 29 & 30. J. N° 5 MR. N° 3 YH.
10.00	To a Brush thicket
40.00	Set a post for the cor. of $\frac{1}{4}$ ac. in the thicket
50.00	To the North side of thicket
80.00	Set a post for the cor. of sub. 19. 20. 29 & 30 from which a W. Oak 30 m. dist bears N 86° 17'. 10 mts dist; and a Poplar 7' " " S 17° E. 12' "
	Same as last mil.
East	On a Random line between Sub. 20 & 29 J. N° 5 MR. N° 3 YH.
79.95	From set the N 78° line 10 mts dist. of the post cor. of Sub 20, 21. 28 & 29 Same as last mil.
West	On the tree line between Sub. 20 & 29 J. N° 5 MR. N° 3 YH.
39.97 pr	Set the tempt post at the arr. dist. on the tree line for the cor. to $\frac{1}{4}$ ac. from which a White, 7' 10 m. dist bears S 83° 17'. 43 mts dist; and a Lignum 7' " " N 53° E. 35' "
79.95	To the post cor. of sub. 19. 20. 29 & 30.
North	Between Sub. 19. & 20. J. N° 5 MR. N° 3 YH.
40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a W. Oak 10 m. dist bears N 10° E. 22 mts dist; and a Syc. 18' " " N 71° W. 11' "
53.00	To a Brook 10 mts mil., same West
72.00	" " W. Oak, 20 m. dist. in the line.
80.00	Set a post for the cor. of Sub. 17. 18. 19. & 20. from which a Sugar. 13 m. dist. bear S 58° E. 2 mts dist; and a Syc. 9' " " S 66° W. 5' "
	Same as last mil.
East	On a Random line between Sub. 17 & 20 J. N° 5 MR. N° 3 YH.
40.00	Set a tempt post for the cor. of $\frac{1}{4}$ ac.

P. N. 5 N. R. N. 3 W. 2nd Mer. Secd.

80.00 Intercept the N.E.S line 18 miles South of the first cor. of sec. 16, 17, 21, & 22.

Sand soil and timber same as last mile

West On the two line between sec. 17 & 21. T. N. 5 N. R. N. 3 T. N.

40.00 Set the tempt post at the ave. dist. on the two lines for the cor. of $\frac{1}{4}$ sec. from which

W. Oak. 12 in. diam. bears 410 ft. 15 miles dist; to
B. Oak. 20 " " 875 ft. 11 "

80.00 To the post on the line between sec. 17, 18, 19 & 20

North Between sec. 17, 18 & 19 T. N. 5 N. R. N. 3 T. N.

7.50 To a Brook. 10 miles mid., corner N.W.

40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Juniper 20 in. diam. bears 407 ft. 68 miles dist; and a
Hickory 20 " " N69°E. 67 " "

60.81 To a Poplar. 18 in. diam. in the line.

80.00 Set a post for the cor. of sec. 7, 8, 17 & 18 from which a
W. Oak. 20 in. diam. bears 878 ft. 39 miles dist; and a

B. Oak. 9 " " N69°E. 9 " "

Sand hills and Brushy timber Oak & Hickory.

East On all random line between sec. 8 & 17 T. N. 5 N. R. N. 3 T. N.

40.00 Set a tempt post for the cor. of $\frac{1}{4}$ sec.

80.00 Intercept the N.E.S line 12 miles South of the first cor. of sec. 8, 9, 16, & 17

Sand soil and timber same as on the last mile

West On the two line between sec. 8 & 17 T. N. 5 N. R. N. 3 T. N.

40.00 Set the tempt post at the ave. dist. on the two lines for the cor. of $\frac{1}{4}$ sec. from which a

Hagwood. 6 in. diam. bears 950 ft. 32 miles dist; to
Juniper 10 " " N31°W. 27 "

S. N.^o 5 N^o R. N.^o 3 W. 2nd Mer. Land.

80.00	Set the post on elev. 7.8.17.618
North	Between elev. 7.48 S. N. ^o 5 N ^o R. N. ^o 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Gum 6 in. diam. bears N11°W. 6 miles distant to a Dogwood 6 " " 1485 ft. 28, "
56.50	To a Brook 12 miles n.w., Lemoore Mts.
80.00	Set a post for the cor. of elev. 5, 6, 7 & 8 from which a Hawth 18 in. diam. bears N48°E. 180 miles dist; and a B. Oak. 8 " " 122 ft. 45 " " Soil & sub. same as last mile
East	On a random line between elev. 5, 6 & 8 S. N. ^o 5 N ^o R. N. ^o 3 W.
40.00	Set a temporary post for the cor. of 1/4 sec.
79.80	Intersect the N.E.S.W. line 18 miles North of the post cor. of elev. 4, 5, 8 & 9 Soil & sub. same as last mile.
West	On the true line between elev. 5 & 8 S. N. ^o 5 N ^o R. N. ^o 3 W.
39.90	Set the temporary post at the elev. dist on the true line for the cor. of 1/4 sec. from which a B. Oak 10 in. diam. bears. N53°W. 13 miles dist; & Ld. 9 " " 669 E. 21 " "
79.80	To the post cor. of elev. 5, 6, 7 & 8.
North	Between elev. 5 & 6. S. N. ^o 5 N ^o R. N. ^o 3 W.
40.00	Set a post for the cor. of 1/4 sec. for a bush thickie Soil thin, lava hilly
58.00	To a Brook 10 miles n.w., Lemoore Mts.
81.50	Set a post on the N Boundary 4.5 miles East of the opposite set for the cor. of elev. 31.832 S. N. ^o 6 N ^o R. N. ^o 3 W. from which a B. Oak 12 in. diam. bears. N75°E. 13 miles and a Gum 8 " " 867 E. 18, "

P. N. 5 M. R. P. G. W. D. M. M. Ind.

Sandstone and timber from last mile.

- West Return S. 26.47 I. N. 5 M. R. N. 3 M.
27.80 To a W. Oak 12 m. dia. in the line
40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
W. Oak 15 in. dia. bears N 58 E. 39 miles dist; to
Llo. 18 " " N 18 M. 35 " "
82.74 Set a post on the West Boundary (70 miles South of
the post cor. of sec. 12 1/3. I. N. 5 M. R. N. 3 M.) for the
cor. of sec. 6. 1/4 from which a
W. Oak. 12 in dia. bears S 73 E. 30 miles dist; and a
Logwood " " " N 4 M. 25 " "
Sandstone; timber Oak, Whisky

- West Return S. 7.618 I. N. 5 M. R. N. 3 M.
40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
W. Oak. 16 in. dia. bears S 76 M. 34 miles dist; and a
Llo. 18 " " S 4 M. 55 " "
83.07 Set a post on the West Boundary (50 miles South of
the post cor. of sec. 12 1/3. I. N. 5 M. R. N. 4 M.) for the
cor. of sec. 7. 1/4 from which a
W. Oak. " " dia. bears N 60 E. 28 miles dist; to
Yew 8 " " S 39 E. 35 " "

- West Return S. 18.119 I. N. 5 M. R. N. 3 M.
26.60 To a W. Oak 24 in dia. bears in the line
40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
Sugar. 10 in. dia. bears S 67 E. 27 miles dist; to
Llo. 10 " " S 58 M. 15 " "
60.01 To a Brook 10 miles end, comes S. W.
83.89 Set a post with West Boundary (48 miles South of
the post cor. of sec. 13 & 24 I. N. 5 M. R. N. 4 M.) for
the cor. of sec. 18. 1/4 from which a

S. N. 5 N. R. N. 3 W. 2nd Mer. Indiana

Gum 15 in. diam. bears N 55° W. 48 links dist; and a
Sugar. 10 " " S 36° W. 52 " "

Post Return Sat 19 & 30 S. N. 5 N. R. N. 3 W.
28.00 To a Brook 10 links wide, Course N.
40.00 Set a post on the cor. of $\frac{1}{4}$ ac. from which a
W. Oak 18 in. diam. bears N 8 E. 5 links dist; & a
Ldn. 8 " " S 73° W. 31 " "
84.55 Set a post on the West Boundary, (20 miles South of
the post cor. of sec. 24 & 25 S. N. 5 N. R. N. 4 W.) from
the cor. of sec. 19 & 30. from which a
W. Oak 6 in. diam. bears S 17 E. 22 links dist; and a
W. Oak. 12 " " S 7 W. 37 " "
Land hilly and bushy. Some Oak & Hickory

Post Return Sat 30 & 31. S. N. 5 N. R. N. 3 W.
40.00 Set a post on the cor. of $\frac{1}{4}$ ac. from which a
W. Oak. 10 in diam. bears N 80 E. 40 links dist; & a
Ldn. 24 " " South 32 " "
85.42 To the cor. of sec. 25 & 36. S. N. 5 N. R. N. 4 W.
Land very bushy;

Surveyed by
Arthur Henrie D.S.

I certify that the foregoing transcript of the
first notes of Township N. 5 North of Range N. 3
West 2nd Mer. Indiana, has been compared with
the original notes in this Office, and found to be
correct.

Surveyor General's Office
Cincinnati, Dec. 14. 1840 Q. S. Geerings —

Sec. Genl. —